


Triac/0/1-10V (5 in1) Dimmable LED Driver






SAFETY INSTRUCTION AND WARNING

- Installation should only be conducted by a qualified electrician in accordance with NEC and any relevant local building codes.
- Risk of fire or electric shock. Fixture installation requires knowledge of luminaires electrical systems.
- Be certain electrical power is OFF before and during installation and maintenance.
- Make sure the supply voltage is the same as the rated luminaire fixture voltage,
- Wear gloves and safety glasses at all times.






Installation Triac



Step 1.

Remove the cover ① from the driver box. There are two screws in the small plastic bag on the wires. These screws will be used to fasten the cover on the box after wiring has been done.




Step 2.

Splice 100-277VAC wires from the panel into the driver.



0

° (1)



Step 3.

Use Red and Black wires from output to attach to the LED strip.


Step 4.

Install and Screw down the Driver's cover. (1)

0

0











Installation 0-10/1-10V Dimming






Step 1.

Remove the cover ① from the driver box. There are two screws in the small plastic bag on the wires. These screws will be used to fasten the cover on the box after wiring has been done.

Step 2.

Splice 100-277VAC wires from the panel into the driver.





Triac/0-1-10V (5 in 1) Dimmable LED Driver

0

° (1)

Step 3.

Use Red and Black wires from output to attach to the LED strip. Purple and Gray wires go to 0-10 dimming controller.



Install and Screw down the Driver's cover. ①



0

0



